EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	265	(ISP or "internet service provider" or "network access provider") and (cache or proxy) with object with (time or expir\$4) and (@adc = "20031030") or @rlad< = "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/12 16:36
L3	2	L2 and "I1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/12 16:36
L11	0	("7074,6,10,101,104.1"). PN .	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2010/03/12 16:50
L14	2774	"113" and "16"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/12 16:51
S1	15	(("6029175") or ("6144988") or ("20020194382") or ("20030028606") or ("6314492") or ("6453342") or ("6510469")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:29
S2	1	(request\$4) with (video or audio or graphic or data or information or multi\$media) with (authenicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:15
S3	1	(request\$4) with (video or audio or graphic or data or information or multi\$media) same (authenicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:16
S4	21232	(access\$4) same (secure) same (server or network)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/06/27 08:17

S5	13170	(access\$4) same (secure) same (server or network) and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S6	81	(access\$4) same (secure) same (server or network) same expiration and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S7	6	((access\$4) same (secure) same (server or network) same expiration).ab.ti. and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:20
S8	379292	request\$4 same (object or information or audio or video or multimedia or web\$page or web \$site or graphic or GIF or JPEG)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S9	4	authenicat\$4 near2 server	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:23
S10	66	S8 and S6	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S11	62	S10 not S7	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49
S12	852	(server) same (add\$4) same (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49
S13	228	(server) with (add\$4) with (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/27 08:50

S14	36	(server) with (add\$4) with (expiration) with request\$4 and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:50
S15	34	\$14 not \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 09:04
S16	2163	(709/232,242). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:56
S17	10	(("20040003101") or ("20030188106") or ("20030110296") or ("6883135") or ("7159014")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 09:05
S18	5	(TTL or (time\$to\$live)) with (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S19	16	(TTL or (time\$to\$live)) same (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S20	2163	(709/232,242).OQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S21	0	S19 and S20	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S22	11	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31

S23	7	(TTL or (time\$to\$live)) with (set\$4) with maximum with minimum and @ad< = "20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S24	2	\$23 not \$18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S25	2	("6108703"). PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S26	14	(set\$4) with maximum with expir\$4 with date and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:21
S27	4227	(TTL or "time-to-live") same (set\$4) and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:22
S28	318	(TTL or "time-to-live") same (set\$4) same maximum and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
329	15	(compar\$4) with (TTL or "time-to- live") same (set\$4) same maximum and @ad<= "20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
530	3513	(comput\$4 or calculat\$4) with (expir \$4) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:56
S31	11	(comput\$4 or calculat\$4) with (expir \$4) with (add\$4) with expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:57
S32	4	(compute or computing or calculat \$4) with (expir54) with (add\$4) with expiration and @ad<="20031030"	US PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51

S33	4	(("5404505") or ("6055569")).PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51
S34	43820	(check\$4 or evaluat\$4) near4 (type) and (@ad<="20031030" or @riad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S35	3	(check\$4 or evaluat\$4) near4 (type) with HTTP adj header and (@ad<="20031030") @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S36	35	proxy near3 (cache or server) same object same (expir\$4) and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:05
S37	495	[("ok" or "not modified") same proxy and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S38	259	("ok" or "not modified") with proxy and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S39	145	("ok" or "not modified") with proxy near3 server and (@ad< = "20031030" or @riad< = "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S40	4	[("ok" or "not modified") with proxy near3 server same (expir\$4 or TTL) and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S41	0	("ok" same "not modified") with proxy near3 server and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/16 10:38

S42	0	("ok" same "not modified") same (proxy or server) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S43	0	("ok" same "not modified") and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S44	4638	{rok" or "not modified") same status and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S45	2484	("ok" or "not modified") with status and (@ad<= "20031030" or @riad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S46	165	("ok" or "not modified") with status near3 code and (@ad<= "20031030" or @rlad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S47	2	("ok" or "not modified") with status near3 code same proxy and (@ad<= "20031030") @rlad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S48	0	(("ok" or "not modified") with status near3 code).ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:41
S49	0	("not modified") with status near3 code and (@ad<="20031030" or @rlad<="20031030")	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S50	0	("not modified") same status near3 code and (@ad<= "20031030" or @rlad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/16 10:42

S51	0	("not modified") and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/16 10:42
S52	827	(Ok or "not modified") same HTTP and (@ad<= "20031030" or @riad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S53	178	(Ok or "not modified") same HTTP same status and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:44
S54	92	(Ok or "not modified") same HTTP same status and proxy and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S55	14	(Ok or "not modified") same HTTP same status same proxy and (@ad<="20031030") @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S56	8063	(status near2 code) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30
S57	260	(status near2 code) with action\$4 and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30
S58	78	(status near2 code) adj4 action\$4 and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:31
S59	3	(status near2 code) adj4 action\$4 same proxy and (@ad<= "20031030" or @rlad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/17 14:31

S60	1353	(check\$4) with object with list and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:06
S61	20	(check\$4) with object with list same proxy and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:08
S62	1	(check\$4) with object adj2 list same proxy and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:09
963	280	(check\$4) with object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S64	0	(check\$4) with (web\$page or web \$site) near3 object adj2 list and (@ad<="20031030") @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S65	128	(check\$4) near4 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12
S66	6	((check\$4or determin\$4) near4 object adj2 list),ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12
S67	1	[((check\$4or determin\$4) near4 object adj2 list) same proxy and (@adc = "20031030" or @rlad< = "20031030")	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16
S68	18	[((check\$4or determin\$4) near4 object adj2 list) and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16

S69	1	((check\$4or determin\$4) near4 object adj2 list) same (QI F or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:20
S70	1	((check\$4or determin\$4) with object adj2 list) same (GIF or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:21
S71	781	(check\$4or determin\$4) with object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:25
S72	238	(check\$4 or determin\$4) adj3 object adj2 list and (@adc = "20031030" or @rlad< = "20031030")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS	2008/12/17 15:25
S73	8	(check\$4 or determin\$4) adj3 object adj2 lst same appropriate and (@adc = "20031030" or @rlad< = "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:26
S74	17	(check\$4 or determin\$4 or request \$4) adj3 object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S75	17	S74 not S64	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S76	9	\$74 not \$73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S77	397	(check\$4 or determin\$4 or request \$4) adj3 object adj2 list and (@ads = "20031030" or @rlad< = "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03

S78	558	(check\$4 or determin\$4 or request \$4) adj3 (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03
S79	1	(check\$4 or determin\$4 or request \$4) adj3 web adj3 (object or type) adj2 list and (@ad= ""20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:04
S80	17	(check\$4 or determin\$4 or request \$4) adj3 web with (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:05
S81	26	((check\$4 or determin\$4 or request \$4) adj3 (object or type) adj2 list). ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:07
S82	124	(check\$4 or determin\$4 or request \$4) with object adj2 list same appropriate and (@ad<="20031030" or (@riad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S83	130	(check\$4 or determin\$4 or request \$4 or compar\$(4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S84	58	(request\$4 or compar\$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S85	265	(status near2 code) with action and (@ad<="20031030" or @riad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:35
S86	215	(status adj2 code) with action and (@ad< = "20031030" or @rlad< = "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36

S87	0	(status adj2 code) with perform near2 action and (@ads = "20031030" or @rlad< = "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S88	0	(status adj2 code) with actionable and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S89	8	(TTL or (time\$to\$live)) with (set\$4) with maximum with minimum and (@adc = "20031030") or @rlad< = "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 10:56
S90	8	(TTL or (time\$to\$live)) with (set\$4) with maximum with minimum and @ad<= "20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 10:56
S91	16	(TTL or (time\$to\$live)) same (set) with maximum with minimum and @ad< = "20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:03
S92	24	(TTL or (time\$to\$live)) same (set \$4) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:05
S93	8	S92 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:05
S94	10	(add\$4 near3 expir\$4 near3 object) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:05
S95	18	proxy with expir\$4 near3 date and (@ad< = "20031030" or @rlad< = "20031030")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:49

S96	42	proxy with expir\$4 near3 (date or server) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:52
S97	3	proxy with (calculat\$4 or comput \$4) near4 (expiration or expir\$5) with (date or time) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:56
S98	5	proxy same(calculat\$4 or comput \$4) near4 (expiration or expir\$5) with (date or time) and (@ad-= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:56
S99	5	proxy same (calculat\$4 or comput \$4) near4 (expiration or expir\$5) with (date or time) and (@ad-= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:57
S100	2	\$99 not \$97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 14:57
S101	3	"09816802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:00
S102	28	(calculat\$4 or comput\$4) near4 (expiration or expir\$5) with (date or time) with object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:03
S103	2	(calculat\$4 or comput\$4) near4 (expiration or expir\$5) with (date or time) with object and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:03
S104	6	(calculat\$4 or comput\$4) near4 (expiration or expir\$5) with (date or time) with object and (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/09/24 15:04

S105	32	(calculat\$4 or comput\$4) with (expiration or expir\$5) with (date or time) with object and (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
S106	6	(calculat\$4 or comput\$4) with (expiration or expir\$5) with (date or time) with object with (proxy or cache) and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
S107	5	S106 not S104	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:06
S108	74	(calculat\$4 or comput\$4) with (expiration or expir\$5) with (date or time) with object and server and (@ad<= "20031030" or @riad<= "20031030") DEFWENT; IBM_TDB		ON	2009/09/24 15:10	
S109	17	(calculat\$4 or comput\$4) with (expiration or expir\$5) with (date or time) with object with server and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:10
S110	0	10/699439	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:14
S112	0	(10/699439).APP.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 15:14
S113	0	("10699439.app.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 15:14
S114	10	server near3 (calculat\$4 or comput \$4) with (expiration or expir\$5) with (date or time) with object and @ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:23

S115	41	(calculat\$4 or comput\$4) with (expiration or expir\$5) with (date or time) near3 object and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:32
S116	16	(calculat\$4 or comput\$4or refresh \$4) with (expiration or expir\$5) with (date or time) near3 object and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:33
S117	45	(calculat\$4 or comput\$4 or refresh \$4) with (expiration or expir\$5) with (date or time) near3 object and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:33
S118	1001	object near3 expir\$5 and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:41
S119	9	object near3 expir\$5 with proxy and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:41
S120	194	object with expir\$5 with (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
S121	1809	expir\$5 with (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
S122	1130	expir\$5 near5 (proxy or cache) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44
S123	16	(comput\$4 or calculat\$4) near3 expir\$5 near5 (proxy or cache) and (@ad<="20031030") @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 15:44

S124	2	("20040003101"). PN .	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/09/24 16:06
S125	2	10/639649	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 16:19
S126	2	10/639649.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/24 16:20
S128	90	(check\$4 or determin\$4) near3 expir \$4 near3 field and (@adc = "20031030" or @rlad< = "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:16
S129	0	proxy near4 (check\$4 or determin \$4) near3 expir\$4 near3 field and (@adc="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:16
S130	2	proxy same (check\$4 or determin \$4) near3 expir\$4 near3 field and (@adc="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:16
S131	2	(check\$4 or determin\$4) near3 expir \$4 near3 field same object and (@adc="20031030") @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:17
S132	7	(check\$4 or determin\$4) near3 expir \$4 near3 field and proxy near4 cache and (@ad<= "20031030" or @rlad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:17
S133	0	ISP with (determin\$4 or check\$4) near3 expi;\$4 near3 field and (@adc="20031030") @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:41
S134	0	((SP or "internet service provider") with (determin\$4 or check\$4) near3 expir\$4 near3 field and (@ad<="20031030" or (@riad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42

S135	0	(ISP or "internet service provider") same (determin\$\foata4\ \text{ or check\$4}\) near3\ expir\$\foata4\ \text{ near3\ field\ and}\ (@ad<="20031030"\ \text{ or\ mark} @riad<="20031030"\)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S136	269	(ISP or "internet service provider" or "network access provider" or proxy) near3 object with (time or expir\$4) and (@ad<="20031030") or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:32
S137	9	(ISP or "internet service provider" or "network access provided") near3 object with (time or expir\$4) and (@ad<= "20031030" or @rlad<= "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:33
S138	4635	(ISP or "internet service provider" or "network access provider") and object with (time or expir\$4) and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:36
S139	265	(ISP or "internet service provider" or "network access provider") and (cache or proxy) with object with (time or expir\$4) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:42
S140	21	(ISP or "internet service provider" or "network access provider") and (cache or proxy) with object with (expiration or expire) and (@ad<="20031030" or @riad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:42
S141	2	(ISP or "internet service provider" or "network access provider") same (cache or proxy) with object with (expiration or expire) and (@adc = "20031030") or @rlad< = "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:57
S142	8	(ISP or "internet service provider" or "network access provider") same2 object with (expiration or expire) and (@ad<="20031030" or @rlad<="20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 08:58
S143	15	(ISP or "internet service provider" or "network access provider") and (set\$4 or determin\$4) near3 object with (expiration or expire) and (@ad<="20031030" or "20031030")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/03/09 09:00

S144	152	(set\$4 or determin\$4) near3 object with (expiration or expire) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 09:03
S145	1	(proxy or cache) near3 server with (set\$4 or determin\$4) near3 object with (expiration or expire) and (@ad-= "20031030" or @riad<= "20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 09:06
S146	10	(proxy or cache) with (set\$4 or determin\$4) near3 object with (expiration or expire) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/09 09:07

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10749	(709/217,218,219,232).OQLS.	USPAT; UPAD	OR	OFF	2010/03/12 16:36
L4	156	"s139" and "I1"	USPAT; UPAD	OR	ON	2010/03/12 16:36
L5	731	(709/242).COLS.	USPAT; UPAD	OR	OFF	2010/03/12 16:37
L6	159	(ISP or "internet service provider" or "network access provider") and (cache or proxy) with object with (time or expir\$4) and (@ad = "20031030" or @rlad < = "20031030")	USPAT; UPAD	OR	ON	2010/03/12 16:37
L7	54	l6 and (l1 or l5)	USPAT; UPAD	OR	ON	2010/03/12 16:38
L8	3	(ISP or "internet service provider" or "network access provider") same (cache or proxy) with object with (time or expir\$4) and (@ad<="20031030" or @rlad<="20031030")	USPAT; UPAD	OR	ON	2010/03/12 16:38
L9	5	native near3 (expiration or expire) and (@ad<="20031030" or @rlad<="20031030")	USPAT; UPAD	OR	ON	2010/03/12 16:39
L10	8	native with (expiration or expire) and (@ad<="20031030" or @rlad<="20031030")	USPAT; UPAD	OR	ON	2010/03/12 16:41
L12	0	("7074,6,10,101,104.1").PN.	USPAT; UPAD	OR	OFF	2010/03/12 16:50
L13	2012	(707/4,6,10,101,104.1).OCLS.	USPAT; UPAD	OR	OFF	2010/03/12 16:51
L15	1358	"I13" and "I6"	USPAT; UPAD	OR	ON	2010/03/12 16:51

L16	0	l13 and l6	USPAT; UPAD	OR	ON	2010/03/12 16:51
S127		"Term Removed"	USPAT; UPAD	OR	OFF	2009/09/24 15:14

3/12/2010 4:59:11 PM

C:\ Documents and Settings\ btiv\ My Documents\ EAST\ Workspaces

\10699439_limit_access_response_time.wsp